3S LIGHTING PRODUCT DATASHEET

Bivitas SM 335

Product Family: Bivitas
Product SKU: 2B11C Internal Code: 400800.335



Dimensions (mm)	335 (D1) 136 (D2) 800 (H1) 600 (H2)
Weight (kg)	8

PRODUCT FEATURES

Aesthetics / Use	Round, surface mounted, LED Bollard, featuring Citizen LED module as standard, for exterior applications,
Luminaire Housing	Aluminium body,powder-coated as standard
Fixing Method	Easy installation with surface mounted plate
Reflector / Optics	Aluminium indirect reflector
Heatsink / Other	Self cooling
Control Gear	Integral non-dim driver or remote dim driver
Max. Ambient Temp.	

IP RATING

☐ IP65

DRIVER CONTROL

☐ Non Dim IP65+ Integral
☐ DALI Dim IP65+ Integral
☐ Casambi BLE IP65+ Integral
☐ DALI-2 Dim IP65+ Integral
☐ 1-10V Dim IP65+ Integral

PAINT FINISH

☐ Matt Bling Black Textured
☐ Satin Silver Mercury Smooth
☐ Custom

SECONDARY PAINT FINISH

We reserve the right to make technical changes without prior notice 3S lighting Pty Ltd

Bivitas SM 335

Product Family: Bivitas
Product SKU: 2B11C Internal Code: 400800.335

LED PERFORMANCE

System Power (W) - LED Luminous Flux (lm) - CRI - CCT (K) - (internal code)

Note: To obtain System Flux (lm) multiply LED Luminous Flux with LOR (Luminaire Output Ratio)
System Flux = LED Luminous Flux × LOR - e.g. 1414lm × 0.6361 = 899lm System Flux

CRI 90+

☐ 13.6W - 1544lm - CRI90 - 2700K - (200)
☐ 19.9W - 2164lm - CRI90 - 2700K - (215)
☐ 28.7W - 2956lm - CRI90 - 2700K - (220)

☐ 13.6W - 1606lm - CRI90 - 3000K - (271)
☐ 19.9W - 2251lm - CRI90 - 3000K - (286)
☐ 28.7W - 3074lm - CRI90 - 3000K - (291)

☐ 13.6W - 1629lm - CRI90 - 3500K - (333)
☐ 19.9W - 2283lm - CRI90 - 3500K - (346)
☐ 28.7W - 3119lm - CRI90 - 3500K - (350)

☐ 13.6W - 1631lm - CRI90 - 4000K - (400)
☐ 19.9W - 2285lm - CRI90 - 4000K - (415)
☐ 28.7W - 3121lm - CRI90 - 4000K - (420)

We reserve the right to make technical changes without prior notice 3S lighting Pty Ltd

3S LIGHTING PRODUCT DATASHEET

Bivitas SM 335

Product Family: Bivitas
Product SKU: 2B11C Internal Code: 400800.335

BEAM / OPTICAL OPTIONS

☐ Indirect_Sym White Indirect Reflector - IP65 - B18OP59

PROJECT INFO

Project: _____ **Qty & Type:** _____

Date: _____ **Signature:** _____

Custom Specification Requests:

S3 LIGHTING LTD • 13 KANGOO RD SOMERSBY NSW 2250 • PO BOX 6167 WEST GOSFORD NSW 2250
ph. 02 4340 4300 • fax. 02 4340 4343 •info@3slighting.com•www.3slighting.com
We reserve the right to make technical changes without prior notice 3S lighting Pty Ltd

Bivitas SM 335

Product Family: Bivitas
Product SKU: 2B11C Internal Code: 400800.335

PHOTOMETRY DATA



B18OP59
LOR : 72% (0.7196)

We reserve the right to make technical changes without prior notice 3S lighting Pty Ltd